L	Hits	Search Text	DB	Time stamp
Number			1	
1	2149	(361/752-759).CCLS.	USPAT; US-PGPUB;	2003/09/03 12:42
			DERWENT	•
_	777	361/726,684.CCLS.	USPAT;	2003/04/28
			US-PGPUB;	i 08:45
			DERWENT	i
-	240	361/726,684.CCLS. and frame	USPAT;	2003/04/28
	į		US-PGPUB;	08:56
	121	/261/726 604 9979 1 5 1 1	DERWENT	0000/04/00
_	131	(361/726,684.CCLS. and frame) and spring	USPAT;	2003/04/28
i I			US-PGPUB; DERWENT	08:32
1_	1	(361/726,684.CCLS. and frame) and ratchet		2003/04/28
•	1	(301) /20,001.0025. and Franco, and Factorios	US-PGPUB;	08:33
İ			DERWENT	
-	52	(361/726,684.CCLS. and frame) and bias\$3	USPAT;	2003/04/28
			US-PGPUB;	08:54
İ	:		DERWENT	
-	1836	439/152-160,928,928.1.CCLS.	USPAT;	2003/04/28
			US-PGPUB;	08:46
	131	 	DERWENT	2002/04/20
-	131	439/152-160,928,928.1.CCLS. and chassis	USPAT; US-PGPUB;	2003/04/28 08:46
			DERWENT	05.40
_	448	439/152-160,928,928.1.CCLS. and frame	USPAT;	2003/04/28
			US-PGPUB;	08:46
			DERWENT	:
-	273	(439/152-160,928,928.1.CCLS. and frame)	USPAT;	2003/04/28
1		and (bias\$ or spring)	US-PGPUB;	08:48
		•	DERWENT	
-	15	((439/152-160,928,928.1.CCLS. and frame)	USPAT;	2003/04/28
	:	and (bias\$ or spring)) and processor	US-PGPUB;	08:51
	. 10	439/152-160,928,928.1.CCLS. and ratchet	DERWENT USPAT;	: 2003/04/20
-	10	439/132-160/920/920.1.CCLS. and facchet	USPAT; US-PGPUB;	2003/04/28 08:53
ļ			DERWENT	00.55
_	189	361/\$.ccls. and ratchet	USPAT;	2003/04/28
	!		US-PGPUB;	08:59
ļ			DERWENT	
j -	96	(361/\$.ccls. and ratchet) and bias\$3	USPAT;	2003/04/28
!			US-PGPUB;	09:00
! _	40	((361/\$.ccls. and ratchet) and bias\$3)	DERWENT	2003/04/29
-	40	and (frame or chassis)	USPAT; US-PGPUB;	2003/04/28
		i and traine or enabbroy	DERWENT	00.00
: -	29	361/726,684.CCLS. and pawl	USPAT;	2003/04/28
1		•	US-PGPUB;	08:57
			DERWENT	
-	353	361/\$.ccls. and ejector	USPAT;	2003/04/28
			US-PGPUB;	08:59
	104	1 (261/6 gala and adopted 1 (form	DERWENT	2002/04/20
	194	(361/\$.ccls. and ejector) and (frame or chassis)	USPAT; US-PGPUB;	2003/04/28 09:00
		Chassis;	DERWENT	: 09.00
_	161	((361/\$.ccls. and ejector) and (frame or	USPAT;	2003/04/28
		chassis)) and connector	US-PGPUB;	109:00
!	1		DERWENT	
· -	52	(((361/\$.ccls. and ejector) and (frame or	USPAT;	2003/04/28
1	1	chassis)) and connector) and bias\$3	US-PGPUB;	09:00
	-	6001040	DERWENT	0000/01/55
. —	. 2	6021049.pn.	USPAT;	2003/04/28
			US-PGPUB;	11:07
_	2	 6021049.URPN.	DERWENT USPAT	2003/04/28
	2	. 0021049. ONIN.	OSENI	11:08
_	10	("4574332" "5010426" "5036481"	USPAT	2003/04/28
		"5162675" "5163833" "5383793"		11:09
		"5544006" "5594627" "5611057"		!
	<u>!</u>	"5754406").PN.	ļ <u></u>	<u>'</u>

Search History 9/3/03 12:55:02 PM Page 1

_	10	("4574332" "5010426" "5036481"	USPAT	2003/04/28
		"5162675" "5163833" "5383793"		11:11
		"5544006" "5594627" "5611057"		
		"5754406").PN.		i
_	2	6147872.pn.	USPAT;	2003/04/28
		, 011/0/2.pm.	•	! ' '
			US-PGPUB;	11:15
:		/#ACA0000# + #A00CC24# + #F0FF4.C0# +	DERWENT	;
-	/	("4648009" "4996631" "5255160"	USPAT	2003/04/28
		"5373133" "5669512" "5793614"	1	11:13
		"5946196").PN.	İ	
-	3	6147872.URPN.	USPAT	2003/04/28
				11:14
_	2	5325263.pn.	USPAT;	2003/04/28
		:	US-PGPUB;	11:33
	1	i	DERWENT	:
_	. 38	5325263.URPN.	USPAT	2002/04/28
	. 30	3323263.0RFN.	. USPAI	2003/04/28
ļ		C005245		11:16
-	! 2	6095345.pn.	USPAT;	2003/04/28
			US-PGPUB;	11:42
			DERWENT	
_	32	("3900112" "4103852" "4203373"	USPAT	2003/04/28
	•	"4453641" "4454948" "4921103"		11:34
1		"5142445" "5165770" "5193890"	•	
1		"5199585" "5236259" "5312005"	i	
!		"5325263" "5388032" "5450968"	ì	
!		"5460441" "5505533" "5508891"		
•		"5510955" "5513068" "5526944"		
•	:	"5542549" "5566049" "5571256"		·
•				
		"5586003" "5592886" "5654873"		
		"5673172" "5682291" "5746488"		
		"5747734" "5791498").PN.		
· -	6	6095345.URPN.	USPAT	2003/04/28
				11:36
_	2	5966289.pn.	USPAT;	2003/04/28
		·	US-PGPUB;	11:42
			DERWENT	
-	7	: ("4935947" "5032952" "5363552"	USPAT	2003/04/28
	1	"5426567" "5650917" "5815371"	OSERI	The state of the s
		• • • • • • • • • • • • • • • • • • • •		11:42
	1	"5822197").PN.	IIGD3.	0000 (01 (00
-	11	5966289.URPN.	USPAT	2003/04/28
		261/262 250 1		11:43
-	250	361/752-759.ccls. and bias\$	USPAT;	2003/04/28
		•	US-PGPUB;	11:51
			DERWENT	
-	759	361/752-759.ccls. and (bias\$3 or spring)	USPAT;	2003/04/28
1			US-PGPUB;	11:52
			DERWENT	
_	387	(361/752-759.ccls. and (bias\$3 or	USPAT;	2003/04/28
		spring)) and plate	US-PGPUB;	11:53
		-F9// www piaco	DERWENT	11.00
_	270	((361/752-759.ccls. and (bias\$3 or		2002/04/29
	210		USPAT;	2003/04/28
:		spring)) and plate) and connector	US-PGPUB;	11:53
•	1 455	///261/750 750 3	DERWENT	
-	170	(((361/752-759.ccls. and (bias\$3 or	USPAT;	2003/04/28
	İ	spring)) and plate) and connector) and	US-PGPUB;	11:54
	!	(frame or chassis)	DERWENT	
	1027	361/724-735.ccls. and (bias\$3 or spring)	USPAT;	2003/04/28
1			US-PGPUB;	13:09
İ			DERWENT	
! -	738	(361/724-735.ccls. and (bias\$3 or	USPAT;	2003/04/28
	i	spring)) and (plate or mount)	US-PGPUB;	13:10
	-	-p-1g// una (prace of mount)	DERWENT	1 13.10
-	150	((361/724-735.ccls. and (bias\$3 or		2002/04/22
-	132		USPAT;	2003/04/28
1		spring)) and (plate or mount)) and rack	US-PGPUB;	13:32
}	1	(261/752 750 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	DERWENT	
-	206	(361/752-759.ccls. and (bias\$3 or	USPAT;	2003/04/28
	1	spring)) and lock	US-PGPUB;	13:32
			DERWENT	
-	193	(361/752-759.ccls. and (bias\$3 or	USPAT;	2003/04/28
1		spring)) and chassis	US-PGPUB;	14:25
		i	DERWENT	: 1
	ــــــــــــــــــــــــــــــــــــــ		<u></u>	

		P.01.	,	
-	143	((361/752-759.ccls. and (bias\$3 or	USPAT;	2003/04/28
j j :	: I	spring)) and chassis) and connector	US-PGPUB;	14:37
	•		DERWENT	
	14947	connector adj mount\$3	USPAT;	2003/04/28
		-	US-PGPUB;	14:38
			DERWENT	
	612354	(connector adj mount\$3) bias\$3	USPAT;	2003/04/28
	. 012334	(Connector adj modneta) brasas	US-PGPUB;	14:38
•			DERWENT	14.50
	2002	(1	2002/04/20
: -	2802	(connector adj mount\$3) and bias\$3	USPAT;	2003/04/28
			US-PGPUB;	14:39
!			DERWENT	
-	248	((connector adj mount\$3) and bias\$3) and	USPAT;	2003/04/28
		rack	US-PGPUB;	14:39
:			DERWENT	
_	204	(((connector adj mount\$3) and bias\$3) and	USPAT;	2003/04/28
		rack) and (lock or engage)	US-PGPUB;	14:40
 			DERWENT	
	12	248/\$.ccls. and "connector mount"	USPAT;	2003/04/29
_	12	240/ Q. CCIS. And Connector mount		•
			US-PGPUB;	06:58
	42.55	040/0 1 1 1 1	DERWENT	0000 (04 (00
-	4361	248/\$.ccls. and "connector"	USPAT;	2003/04/29
			US-PGPUB;	06:48
			DERWENT	i
_	2178	(248/\$.ccls. and "connector") and lock\$3	USPAT;	2003/04/29
			US-PGPUB;	06:49
			DERWENT	
_	1145	((248/\$.ccls. and "connector") and	USPAT;	2003/04/29
		lock\$3) and (bias\$3 or spring)	US-PGPUB;	08:52
!	i	TOCK\$3) and (Dias\$3 of Spring)		08.32
	00	1///2/2/2/2/2	DERWENT	1 0000 /04 /00
-	99	(((248/\$.ccls. and "connector") and	USPAT;	2003/04/29
	•	lock\$3) and (bias\$3 or spring)) and rack	US-PGPUB;	06:59
			DERWENT	
: -	416	312/223.1,223.2.ccls. and connector	USPAT;	2003/04/29
			US-PGPUB;	06:58
	:		DERWENT	
_	321	(312/223.1,223.2.ccls. and connector)	USPAT;	2003/04/29
		and computer	US-PGPUB;	06:59
:			DERWENT	
i _	158	((312/223.1,223.2.ccls. and connector)	USPAT;	2003/04/29
	130	and computer) and (bias\$3 or spring)	US-PGPUB;	06:59
		and compacely and (brases of spring)	DERWENT	00.33
	47	. //(212/222 1 222 2]		2002/04/20
-	4./	(((312/223.1,223.2.ccls. and connector)	USPAT;	2003/04/29
		and computer) and (bias\$3 or spring)) and	US-PGPUB;	07:11
		rack	DERWENT	0000/61/55
_	2268	361/683-688.ccls. and connector	USPAT;	2003/04/29
1			US-PGPUB;	07:10
			DERWENT	
-	1036	(361/683-688.ccls. and connector) and	USPAT;	2003/04/29
		(bias\$3 or spring)	US-PGPUB;	07:10
			DERWENT	
_	147	((361/683-688.ccls. and connector) and	USPAT;	2003/04/29
	<i>-</i>	(bias\$3 or spring)) and rack	US-PGPUB;	07:11
		(=====================================	DERWENT]
_	2	5538436.pn.	USPAT;	2003/04/29
_	2	3330430.pii.	•	
			US-PGPUB;	07:39
	_	5520426 MDDM	DERWENT	0002/01/22
-	6	5538436.URPN.	USPAT	2003/04/29
				07:36
· -	, 6	("4872139" "5126890" "5158473"	USPAT	2003/04/29
		"5161169" "5161992" "5210855").PN.		07:38
. –	82150	socket and (bias\$3 or spring)	USPAT;	2003/04/29
		,	US-PGPUB;	07:40
			DERWENT	
_	8853	(socket and (bias\$3 or spring)) and	USPAT;	2003/04/29
		computer	US-PGPUB;	07:40
		Compacor	DERWENT	0,.40
_	2001	! · ((socket and (bias\$3 or spring)) and		2003/04/29
-	2091		USPAT;	: 2003/04/29
	I	computer) and (inject\$3 or eject\$3)	US-PGPUB;	07:41
1			DERWENT	

_	917		USPAT;	2003/04/29
	•	computer) and (inject\$3 or eject\$3)) and	US-PGPUB;	07:42
		(circuit adj board)	DERWENT	į į
-	487	((((socket and (bias\$3 or spring)) and	USPAT;	2003/04/29
		computer) and (inject\$3 or eject\$3)) and	US-PGPUB;	07:42
		(circuit adj board)) and (chassis or	DERWENT	!
i	: 220	carrier)		
	320	(((((socket and (bias\$3 or spring)) and	USPAT;	2003/04/29
		computer) and (inject\$3 or eject\$3)) and	US-PGPUB;	07:44
		(circuit adj board)) and (chassis or	DERWENT	
! _	42	carrier)) and (frame or rack) (((((socket and (bias\$3 or spring)) and	HCD3m.	2002/04/20
1	. 32	computer) and (inject\$3 or eject\$3)) and	USPAT; US-PGPUB;	2003/04/29
:	İ	(circuit adj board)) and (chassis or	DERWENT	08:03
		carrier)) and (frame or rack)) and	DERWENT	:
		361/\$.ccls.		•
-	2	6252765.pn.	USPAT;	2003/04/29
			US-PGPUB;	07:56
			DERWENT	0,.30
_	4	6252765.URPN.	USPAT	2003/04/29
				07:56
-	1	"5757616".PN.	USPAT	2003/04/29
		: :	!	. 07:56
_	23	((((((socket and (bias\$3 or spring)) and	USPAT;	2003/04/29
		computer) and (inject\$3 or eject\$3)) and	US-PGPUB;	08:06
		(circuit adj board)) and (chassis or	DERWENT	į
		carrier)) and (frame or rack)) and		
		439/\$.ccls.	i	
ļ -	10	((((((socket and (bias\$3 or spring)) and		2003/04/29
•	İ	computer) and (inject\$3 or eject\$3)) and	US-PGPUB;	08:12
	!	(circuit adj board)) and (chassis or	DERWENT	
		carrier)) and (frame or rack)) and		;
		312/\$.ccls.		
-	3	388868.pn.	USPAT;	2003/04/29
			US-PGPUB;	08:12
<u> </u>	2	6388868.pn.	DERWENT	2002/04/20
	2	0300000.pm.	USPAT; US-PGPUB;	2003/04/29 '08:13
	1		DERWENT	06:13
_	i ol	6388868.URPN.	USPAT	2003/04/29
			001111	08:12
_	7	[!] ("5459293" "5757260" "5905244"	USPAT	2003/04/29
		"6038892" "6066814" "6095574"		08:12
		"6244891").PN.		
	2	6147872.pnpn.	USPAT;	2003/04/29
1			US-PGPUB;	08:14
	!		DERWENT	
_	3	6147872.URPN.	USPAT	2003/04/29
			!	08:13
-	7	("4648009" "4996631" "5255160"	USPAT	2003/04/29
	:	"5373133" "5669512" "5793614"		08:13
	<u>^</u> i	"5946196").PN.		
-	2	6229708.pn.	USPAT;	2003/04/29
:	,			08:15
· _	6	("3575482" "4236190" "4259931"	DERWENT	2002/04/20
	"	"5010426" "5967824" "6128196").PN.	USPAT	2003/04/29
_	3	6229708.URPN.	USPAT	2003/04/29
i			:	08:15
: -	2	5538436.pn.	USPAT;	2003/04/29
	_	•	US-PGPUB;	08:16
I	i		DERWENT	
-	6	5538436.URPN.	USPAT	2003/04/29
				08:16
<u> </u>	2	6452805.pn.	USPAT;	2003/04/29
			US-PGPUB;	08:51
L	1		DERWENT	:

T-	14	("3657608" "5049701" "5165770"	USPAT	2003/04/29
•		"5209356" "5571256" "5666271"	•	08:16
		"5761033" "5896273" "6016252"		1
		"6088222" "6095345" "6129429"		•
		"6259605" "6279754").PN.		
· -	455	intel.AS. and spring	USPAT;	2003/04/29
			US-PGPUB;	08:52
			DERWENT	1
' <u> </u>	1491	intel.AS. and (bias\$3 or spring)	USPAT;	12003/04/29
		• • • • • • • • • • • • • • • • • • • •	: US-PGPUB;	08:52
			DERWENT	1
-	0	(intel.AS. and (bias\$3 or spring)) and	USPAT;	2003/04/29
		(mount adi connector)	US-PGPUB;	08:53
			DERWENT	
_	0	(intel.AS. and (bias\$3 or spring)) and	USPAT;	2003/04/29
		(connector adj mount)	US-PGPUB;	08:53
			DERWENT	
_	184	(intel.AS. and (bias\$3 or spring)) and	USPAT;	2003/04/29
		connector	US-PGPUB;	08:54
			DERWENT	
· _	45	((intel.AS. and (bias\$3 or spring)) and	USPAT;	2003/04/29
		connector) and (lock or retention)	US-PGPUB;	08:54
	:		DERWENT	,
. –	16	US-4867235-\$.DID. OR US-5289694-\$.DID. OR	USPAT;	2003/09/03
		US-5731954-\$.DID. OR US-6141211-\$.DID. OR		11:52
	•	US-6166907-\$.DID. OR US-6337794-\$.DID. OR		
	i	US-6351381-\$.DID. OR US-6366461-\$.DID.	:	
· -	2		USPAT;	2003/09/03
			US-PGPUB;	11:52
!			DERWENT	